

```
import java.util.Scanner;

/**
 *
 * @author user
 */
public class ZadacaPolje {

    /**
     * @param args the command line arguments
     */
    public static void main(String[] args) {
        // TODO code application logic here
        int PProdaja[][] = new int [3][4];
        double M[] = new double [3];
        double P[] = new double [3];

        for (int i=0; i<3; i++)
        {
            for (int j=0; j<4; j++)
            {
                Scanner unos = new Scanner(System.in);
                System.out.println("Unesite prodaju za prodavaonu: "+i+" ");
                int unosProdaja = unos.nextInt();
                PProdaja[i][j] = unosProdaja;
            } }

        for (int i=0; i<3; i++)
        { double min = PProdaja[i][0];
          double zbroj = PProdaja [i][0];

          for (int j=1; j<4; j++)
          {
              if (PProdaja[i][j] < min)
                  min = PProdaja[i][j];
              zbroj = zbroj + PProdaja[i][j];
          }
          M[i] = min;
          double Prosjek = zbroj/4;
          P[i] = Prosjek;
        }

        for (int i=0; i<3; i++)
        {
            System.out.println("Najmanja prodaja za prodavaonicu "+i+" je
"+M[i]);
```

Untitled

```
System.out.println("Prosječna prodaja za prodavaonicu "+i+"  
je "+P[i]);  
    }  
}
```